


MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK


INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
College			
1	Land details (as per M.S.R.): Total land 51 Acres, Owned, Attached Medical College, NA of all land, 7/12 extracts of all land, Constructed Area Details 70163 Sq.mtr. (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website.) (No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Dean office, Professor's Office, Associate Professor's Office, Assistant Professor's Office, Administrative Block as per M.S.R..	Yes	Adequate
3	All DEPARTMENTS (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electrodiagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	Yes	Adequate
4	College Library (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).	Yes	Adequate
	No. of books added in last year: No. of Journals titles added in last year : [Bills shall be verified by the Committee.]	Yes	Adequate
	Digital Library / e – Library availability	Yes	Adequate
5	Details of all Lecture Theatres with Seating Capacity (as per M.S.R.) along with AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	Yes	Adequate
6	Conference Room for Faculty: (as per M.S.R.)	Yes	Adequate
7	Mini Auditorium: (15 Sq.Ft./Student) (as per M.S.R.)	Yes	Adequate
8	Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)	Yes	Adequate
9	Core Laboratories: (50 Sq.Ft./Student) (as per M.S.R.) Exercise Physiology & Fitness : Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	Yes	Adequate
10	Physiotherapy Museum: (as per M.S.R.) (Desirable)	Yes	Adequate
11	Yoga / Clinical Skill Laboratory: (60 Sq.Ft./Student) (as per M.S.R.) Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	Yes	Adequate
12	University Examination Infrastructure: Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Yes	Adequate



13	Residential quarter facility for staff: Teaching, Non-teaching, Paramedical & Nursing staff	Yes	Adequate
14	Other facilities: Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility,.	Yes	Adequate
15	Hostel Facility: Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 			

HOSPITAL			
16	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : M.V.P. Hospital, Adgaon Nashik	Yes	Adequate
	Bed Strength : 875		
	Number of beds registered as per BNH act: 1000		
17	Clinical Facilities : Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College-- OWN		
a.	Total built up area of Hospital (in Sq.Ft.) : 324349 Sq.ft.	Yes	Adequate
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: - Nashik Municipal Corporation (Please attach copy of registration certificate)	Yes	Adequate
c.	Whether Casualty is available and functional : YES	Yes	Adequate
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		Adequate
19	Ambulances : Owned		
	Any other ----		
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 			



[Signature]
Dean/ Principal Stamp & Signature

PRINCIPAL

M.V.P.S College of Physiotherapy
Adgaon, Nashik-422 003.

अहवाल दिनांक : 20/12/2021



महाराष्ट्र शासन

गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३,५,६ आणि ७]

गाव :- आडगांव - 2

तालुका :- नाशिक

जिल्हा :- नाशिक

गट क्रमांक व उपविभाग : 1074/2

भू-धारणा पध्दती : भोगवटादार वर्ग - 2

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी अ) लागवड योग्य क्षेत्र जिरायत - बागायत - ब) पोट-खराब क्षेत्र (लागवड अयोग्य) वर्ग (अ) - वर्ग (ब) 20.00.00 एकूण पो.ख. 20.00.00 एकूण क्षेत्र (अ+ब) 20.00.00 आकारणी 0.00 भुटी किंवा विचोष - आकारणी	13060	सरचिटणीस नाशिक जि.मराठा विद्याप्रसारक समाज नाशिक			20.00.00	(7575)	कुळाचे नाव व खंड इतर अधिकार सहस्रम प्राधिकाऱ्यांच्या पूर्वे परवानगी शिवाय हस्तांतरास बंदी - इनाम व वतन जमीनी (देवस्थान वगळून) इतर वैद्यकीय महाविद्यालय व रुग्णालयाचे प्रयोजनार्थ 30 वर्षांचे भाडेपट्ट्याने दरसाल 1 रु. घेऊन म्हणजेच दि.1/8/91 ते 31/7/2021 पावेतो व नोंद नं.2265 मधील शर्त नं.1 ते 22 ला अधिन राहून (2742) इतर सहस्रम प्राधिकाऱ्यांच्या पूर्वे परवानगीशिवाय हस्तांतरणाम बंदी (17148) प्रलंबित फेरफार : नाही. शेवटचा फेरफार क्रमांक : --- व दिनांक : ---
जन्म फेरफार क्र. (2265) (2742) (4519) (7575) (17148) (21162) (22124) (24557)							सीगा भाणि भुगणन चिन्हे :

गाव नमुना बारा (पिकांची नोंदवह्यी)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम २९]

गाव :- आडगांव - 2

तालुका :- नाशिक

जिल्हा :- नाशिक

गट क्रमांक व उपविभाग : 1074/2


पिकाखालील क्षेत्राचा तपशील											लागवडीसाठी उपलब्ध नसलेली जमीन	जल सिंचनाचे साधन	शेरा		
मिश्र पिकाखालील क्षेत्र						निर्भळ पिकाखालील क्षेत्र									
वर्ष	हंगाम	खाता क्रमांक	घटक पिके व प्रत्येकाखालील क्षेत्र			पिकाचे नाव	जल सिंचित	अजल सिंचित	पिकाचे नाव	जल सिंचित	अजल सिंचित	स्वरूप	क्षेत्र		
			*४	*५	*६										
						हे.आर. चौ.मी		हे.आर. चौ.मी	हे.आर. चौ.मी		हे.आर. चौ.मी		हे.आर. चौ.मी		
2019-20	संपूर्ण वर्ष										इमारत पड	20.0000	बोरवेल 2		

टीप : *४ - मिश्रणाचा संकेत क्रमांक, *५ - जल सिंचित, *६ - अजल सिंचित

"चा प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

दिनांक :- 20/12/2021

सांकेतिक क्रमांक :- 2720001102594500011202111194

(नाव :- वसंतराव रामचंद्र धारम
तलाठी सादरा :- आडगांव - 2 नाशिक जि :- नाशिकतलाठी/आडगांव-2
जि.नाशिक


INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Space allotment	Upto 40 intake	No of units	Total area required in sq.ft	Actual area available
Administrative office	500	1	500	400
Director/dean/principal / H.O.D.'s office	400	1	600	600
Professor's office	150 per unit	2	300	300
Associate Professor's office	100 per unit	4	400	400
Assistant Professor's office	75 per unit	7	525	600
Conference room	300	1	600	600
Mini auditorium	1500	1	1500	2400
Class rooms	600	5	3000	3000
Students common room (Girls)	1000	1	1000	1000
Students common room (Boys)	250	1	250	250
*Library with reading room	1200	1	1200	1219
Discussions /Interaction room	200	1	200	600
Hostels for Girls	Mandatory	Separate /shared with medical college		0
Hostels for Boys	Mandatory	Separate /shared with medical college		0
Core laboratories	1200	2	2400	2400
Clinical skill labs/Fitness Lab	1200	1	1200	1200
Indoor –physiotherapy department	1200	1	1200	5000
Out-door physiotherapy department areas as per work load	3000	1	3000	3000
Recreational Area	1000	6	4000	4000
Total area required excluding the hostel area			21875	26969




3.

Department	Year	Area
Anatomy	I B.P.Th.	1200 sq. ft.
Physiology	I B.P.Th.	1200 sq. ft.
Electrotherapy & Electro-diagnosis	I B.P.Th. / III B.P.Th.	1200 sq. ft.
Therapeutic gymnasium/ Kinesiotherapy	I B.P.Th. / II B.P.Th.	1200 sq. ft.
Yoga laboratory / clinical skills	IB.P.Th.& IV B.P.Th.	1200 sq. ft.
Excises fitness & functional diagnosis	III B.P.Th.	1200 sq. ft.
Indoor + Out- door physiotherapy department	I/II/III/IV B.P.Th	5000+3000




Exercise Physiology and fitness Lab

Sr. No.	Equipment/ Facility	Available
1	Computerized treadmill	01
2	Bicycle ergo meter with speedometer	03
3	Skin fold caliper	01
4	Body composition analyzer (Desirable)	02
5	Weighing scale with height measurement scale	01
6	Spiro meter	03
7	Peak flow meter	01
8	Energy consumption analyzer (Desirable)	01
9	Pulse Oxymeter	02
10	ECG	01
11	Flutter	01
12	Inspiratory Muscle Trainer	01
13	Oxygen Cylinder	03
14	Nebulizer	
	A) Ultra Sound	01
	B) JET	01
	Portable suction Machine	01
15	B.P. Apparatus & Stethoscope	03
16	Shuttle walk test kit	01



YOGA / CLINICAL SKILLS LAB

Sr. No.	Equipment/ Facility	Available
1	Yoga Mats/Pediatric Mats / Mats for Training Neurotherapeutic skills	Adequate
2	Adjustable Manual Therapy Tables	02
3	Therabands&Theratubes	Adequate
4	Swiss balls	03
5	Stability Trainers	01
6	Sensory Assessment Kit	01
7	Balance Assessment & Training Equipment	01
8	Stools, Benches, Wheel Chairs, Stairs Ramps for Training Transfer.	Adequate



LIBRARY :

A) SYSTEM : 1) Open access/ card window/ Others : **Card window**

2) Stamp of library for identification of each book is placed on page number : **Yes** All Books page on 50

- a) Total Space Available : 1219 sq. ft.
- b) Reading Room (General) : Available
- c) Teachers Reading Room : Available
- d) Catalogue /counter Room : Not available
- e) Librarian Room : Available

B) AVAILABLE BOOKS:

- a) Total books as per central accession register : **762**
- b) Total books under scheme of Book bank from register : **107**
- c) Total books available at Library :-
 - i) Total number of books on Physiotherapy :- **600**
 - ii) Total number of books on Basic Medical & Clinical Sciences :- **162**
 - iii) Number of other books :
- d) Journals/ Magazines/ periodicals subscribed per month:
 - International **15** National **02** State -
 - (Attach the list of journals)
- e) Number of available Newspaper :-
 - Marathi **02** English **02** Hindi -
 - National - State - Local -
- f) Number of other magazines :-
- g) Total cost of available Books in Rupees :- **Rs. 9,24,796/-**





Watergrace Products

COMMON BIO.MEDICAL WASTE MANAGEMENT AND TREATMENT FACILITY NASHIK

Near Kannamwar Bridge, Mumbai Agra Road, Dwarka Nashik - 422 001. ☎ : (0253) 2970299

e-mail : helpdesk@watergrace.com, website : www.watergrace.com

REF NO. : WGP/BMW/PANCHVATI/04/2022/4721

DATE : 19-APR-22

CERTIFICATE

TO WHOM SO EVER IT MAY CONCERN

This is to certify that Sirchitnis M.V.P.Samaj, Dr.Vasantrao Pawar Medical College Hospital And Research Center , Vasant Dada Nagar, Adgaon Naka, Nashik With 1000 (One Thousand) Beds. Strength is registered member of our Common Bio-Medical Waste Management Collection Transportation Treatment and Disposal Facility Nashik vide Registered Index No. 877229 Dated 1st.June.2004. The said Health Care units giving us Biomedical Waste for disposal as per the Maharashtra Pollution Control Board (M and H) Rules.

This NOC is valid upto : 31 Jul 2022, for 1000 (One Thousand) Beds.

For Watergrace Products Nashik

Authorized Signatory

